

**DELAWARE DEPARTMENT OF
TRANSPORTATION**

ADVERTISEMENT FOR BIDS

Sealed proposals for the following contract will be received by the Department of Transportation, State of Delaware, in the Bidders Room (B1.11.01), in the DelDOT Transportation Administration Center, 800 Bay Road, U.S. Route 113 South, Dover, DE until 2:00 P.M., Local Time, January 31, 2012 and thereafter be publicly opened:

Contract No. T200312601.01
SR 7, NEWTOWN ROAD TO SR 273
COMPLETION DATE: 607 Calendar Days
Cost of Contract Documents: \$62.50
New Castle County

PROSPECTIVE BIDDERS NOTE:

No retainage will be withheld on this contract.

The Department has adopted an External Complaint Procedure. The procedure can be viewed on our website at: <http://www.deldot.gov/information/business/>, or you may request a copy by calling (302) 760-2555.

This project incorporates the electronic bidding system Expedite 5.2b. Bidder wishing to use the electronic bidding option should request a bid file disk and installation CD.

1.00	LS	CLEARING AND GRUBBING
26,400.00	CY	EXCAVATION AND EMBANKMENT
1,300.00	CY	EXCAVATION AND BACKFILLING FOR PIPE TREN
6,703.00	CY	BORROW, TYPE A
1,560.00	CY	FURN BOR TY C FOR PIPE UTILITY TREN & STR
1.00	LS	REMOVAL OF STRUCTURES & OBSTRUCTIONS
1,024.00	CY	UNDERCUT EXCAVATION
255.00	CY	SEDIMENT REMOVAL
4,400.00	LF	SILT FENCE
1,300.00	LF	REINFORCED SILT FENCE
55.00	EACH	INLET SEDIMENT CONTROL, DRAINAGE INLET
91.00	EACH	INLET SEDIMENT CONTROL, CURB INLET
1.00	EACH	SUMP PIT, TYPE 2
8.00	CY	SANDBAG DIKES
1,485.00	TON	STABILIZED CONSTRUCTION ENTRANCE
1.00	EACH	DEWATERING BAG
4,858.00	CY	STORMWATER MANAGEMENT POND
1.00	EACH	POND OUTLET STRUCTURE, CONCRETE, #1
1.00	EACH	SKIMMER DEWATERING DEVICE
239.00	CY	CLAY BORR, SWMP, POND LINER
10,466.00	CY	GRADED AGGREGATE BASE COURSE, TYPE B
5,847.00	TON	WMA, SP, TY B, 160 GYRA, PG 70-22
14,636.00	TON	WMA, SP, BCBC, 160 GYRA, PG 64-22
217.00	TON	WMA, SP, TY C, 160 GYRA, PG 64-22, PATCH
1,322.00	TON	WMA, SP, TY B, 160 GYRA, PG 64-22, PATCH
1,903.00	TON	WMA, SP, BCBC, 160 GYRA, PG 64-22, PATCH

6,022.00	TON	WMA, SP, TY C, 160 GYRA, PG 70-22 (NON-C
115.00	TON	HT-MX BIT CON &/OR COLD LAID BIT (TRM)
40,099.00	SYIN	HOT-MIX PATCHING
684.00	SY	PATCHING P.C.C. PAVEMENT, 6' TO 15', TYP
1,700.00	EACH	DOWEL BARS
2,025.00	SF	MODULAR BLOCK RETAINING WALL
5.00	LF	ALUMINUM HANDRAIL
1,052.00	LF	REINFORCED CONCRETE PIPE, 15", CLASS IV
4,859.00	LF	REINFORCED CONCRETE PIPE, 18", CLASS IV
409.00	LF	REINFORCED CONCRETE PIPE, 24", CLASS IV
188.00	LF	REINFORCED CONCRETE PIPE, 30", CLASS IV
316.00	LF	REINFORCED CONCRETE PIPE, 18", CLASS V
136.00	LF	REINFORCED CONCRETE PIPE, 24", CLASS V
155.00	LF	REINFORCED CONCRETE PIPE, 15", CLASS V
259.00	LF	REINFORCED CONCRETE PIPE, 21", CLASS IV
173.00	LF	REINFORCED CONCRETE PIPE, 36", CLASS IV
251.00	LF	REINFORCED CONCRETE PIPE, 36", CLASS V
86.00	LF	REINFORCED CONCRETE ELLIPTICAL PIPE, 24"
192.00	LF	REINFORCED CONCRETE ELLIPTICAL PIPE, 19"
90.00	LF	PVC PIPE, 8"
10,356.00	LF	PIPE VIDEO INSPECTION
2.00	EACH	R.C. FLARED END SECTION, 15"
1.00	EACH	R.C. FLARED END SECTION, 18"
1.00	EACH	R.C. FLARED END SECTION, 21"
1.00	EACH	R.C. FLARED END SECTION, 24"
3.00	EACH	R.C. FLARED END SECTION, 36"
4.00	EACH	R.C. FLARED END SECTION, 19"X30"
3,978.00	LF	PORTLAND CEMENT CONCRETE CURB, TYPE 1
7,351.00	LF	PORTLAND CEMENT CONCRETE CURB, TYPE 2
8,639.00	LF	INTEGRAL PORTLAND CEMENT CONCRETE CURB A
1,574.00	LF	INTEGRAL PORTLAND CEMENT CONCRETE CURB A
209.00	LF	PORTLAND CEMENT CONCRETE CURB, TYPE 1 MO
4.00	EACH	P.C.C. PARKING BUMPER
41,184.00	SF	P.C.C. SIDEWALK, 4"
5,338.00	SF	P.C.C. SIDEWALK, 6"
744.00	SF	P. C. C. SIDEWALK, 8"
493.00	SF	SIDEWALK SURFACE DETECTABLE WARNING SYST
11,861.00	SF	PATTERNED PCC SIDEWALK, 6"
20.00	EACH	DRAINAGE INLET, 34" X 24"
39.00	EACH	DRAINAGE INLET, 48" X 30"
12.00	EACH	DRAINAGE INLET, 48" X 48"
3.00	EACH	DRAINAGE INLET, 66" X 30"
7.00	EACH	DRAINAGE INLET, 72" X 24"
3.00	EACH	DRAINAGE INLET, 72" X 48"
4.00	EACH	MANHOLE, 48" X 30"
1.00	EACH	MANHOLE, 66" X 30"
1.00	EACH	JUNCTION BOX, 48" X 48"

12.00	EACH	ADJUSTING & REPAIRING EXIST DRAIN INLET
1.00	EACH	ADJUSTING AND REPAIRING EXISTING MANHOLE
2.00	EACH	CONVERTING EXISTING CATCH BASIN TO MANHO
17.00	EACH	ADJUST & REPAIR EXIST. SANITARY MANHOLE
234.00	SY	RIPRAP, R-4
3,376.00	SY	GEOTEXTILES, STABILIZATION
234.00	SY	GEOTEXTILES, RIPRAP
7,954.00	LF	PERFORATED PIPE UNDERDRAINS, 6"
7.00	EACH	CONVERTING EXISTING CATCH BASIN TO JUNCT
1.00	EACH	CURB/SIDEWALK OPENING
1.00	EACH	PERMANENT WOOD BARRICADE
20.00	LF	CHAIN-LINK FENCE, 6' HIGH
4.00	EACH	TERMINAL POSTS FOR 6' CHAIN-LINK FENCE
1,000.00	LF	CONSTRUCTION SAFETY FENCE
61.00	EACH	MONUMENTS
288.00	LF	DECORATIVE FENCE
14,357.00	SY	TOPSOIL, (6" DEPTH)
7,186.00	SY	TOPSOILING (6" DEPTH)
27,258.00	SY	PERMANENT GRASS SEEDING, DRY GROUND
6,353.00	SY	PERMANENT GRASS SEEDING, WET GROUND
13,629.00	SY	TEMPORARY GRASS SEEDING, DRY GROUND
1,007.00	SY	SOIL RETENTION BLANKET MULCH, TYPE 5
1,593.00	SY	MULCHING, PLANTS
1.00	LS	PLANTING
1,062.00	EADY	ARROWPANELS, TYPE C
140.00	EADY	FURN & MAINT PORT CHANGEABLE MESSAGE SIG
188,980.00	EADY	PLASTIC DRUMS
300.00	HOURL	TRAFFIC OFFICERS
120.00	EADY	FURNISH & MAIN. TMA, TYPE II
10,483.00	HOURL	FLAGGER, NEW CASTLE COUNTY
2,621.00	HOURL	FLAGGER, NEW CASTLE COUNTY, STATE, OVERT
32.00	EACH	WARNING SIGNS
45,270.00	LFDY	TEMPORARY BARRICADE, TYPE III
12,050.00	EADY	TEMPORARY WARNING SIGNS
13.00	EACH	ADJUST OR REPAIR EXISTING CONDUIT JUNCTI
4.00	EACH	CONDUIT JUNCTION WELL, TYPE 7, 36" X 60"
19.00	EACH	CONDUIT JUNCTION WELL, TYPE 1, 20" X 20"
9.00	EACH	CONDUIT JUNCTION WELL, TYPE 4, 20" X 42
15.00	EACH	CONDUIT JUNCTION WELL, TYPE 5, 24" X 16"
19.00	EACH	REMOVAL OF EXISTING JUNCTION WELL
223.00	LF	SUPPLY OF 4" SDR-13.5 HDPE CONDUIT
3,509.00	LF	SUPPLY OF 4" SCHEDULE 80 PVC CONDUIT
4,167.00	LF	SUPP OF 2 1/2" GALVANIZED STEEL CONDUIT
281.00	LF	SUPPLY OF 2" GALVANIZED STEEL CONDUIT
1,737.00	LF	INSTALL OF COND UNDER EXIST PAVT-DIRECT
14.00	LF	INSTALL OF COND UNDER EXIST PAVT-OPENCUT
6,336.00	LF	INSTALL OF COND IN UNPAVED TRENCH

90.00	LF	INSTALLATION OF CONDUIT ON WOOD POLE
37.00	LF	INSTALLATION OF ADDITIONAL CONDUIT IN TR
856.00	LF	INSTALLATION OF FIRST DUCT IN NEW CONDUIT
2,158.00	LF	INSTALLATION OF EACH ADDITIONAL DUCT IN
1,538.00	LF	CABLES, 1/#6 AWG
569.00	LF	INSULATED GROUND CABLES, 1/#6
3.00	EACH	SERVICE INSTALLATION
6.00	EACH	ALUM. LIGHT STD. W/SINGLE DAVIT ARM, 35'
6.00	EACH	LUMINAIRE (HPS), 250 WATT
3.00	EACH	ELECTRIC SERVICE ON PEDESTAL WITH SERVICE
152.00	LF	SUPPLY OF 8/2 UF W/GROUND
5,290.00	LF	SUPPLY AND INSTALL OF LOOP DETECTOR WIRE
6.00	CY	REMOVAL OF CONCRETE POLE BASES AND CABIN
12.00	EACH	POLE BASE, TYPE 3
21.00	EACH	POLE BASE, TYPE 4
6.00	EACH	POLE BASE, TYPE 6
5.00	EACH	CABINET BASE
5,515.00	SF	PERM PAVT STRIP SYM/LEG ALKYD THERMOPLAS
77,030.00	LF	TEMPORARY MARKINGS, PAINT, 4"
2,030.00	SF	TEMPORARY MARKINGS, PAINT SYMBOL/LEGEND
232.00	LF	PERMANENT PAVEMENT STRIPING, ALKYD-THERM
30,354.00	LF	PERM PAVT. STRIP. EPOXY RESIN PAINT, 4"
23,050.00	SF	REMOVAL OF PAVEMENT STRIPING
25.00	EACH	PREFORMED RETROREFLECTIVE THERMO PVMT MA
183.00	EACH	INSTALLATION OR REMOVAL OF TRAFFIC SIGN
1.00	EACH	INSTALLATION OF 4" DIA HOLE, LESS THAN O
1.00	LS	SANITARY SEWER SYSTEM
7,714.00	SY	REMOVAL EXIST. PCC PAVT CURB SIDEWALK
27.00	EAMO	FIELD OFFICE, SPECIAL I
36,481.00	SYIN	PROFILE MILLING, HOT-MIX
1,165.00	SY	BUTT JOINTS, HOT MIX
10,976.00	LF	SAW CUTTING, HOT MIX
321.00	LF	SAW CUTTING, CONCRETE (FULL DEPTH)
1.00	LS	INITIAL EXPENSE
1.00	LS	MAINTENANCE OF TRAFFIC
1.00	LS	CONSTRUCTION ENGINEERING
1.00	LS	PROJECT CONTROL SYSTEM DEVELOPMENT PLN
25.00	EAMO	CPM SCHEDULE UPDATES AND/OR REVISIONS
150.00	HOURL	UTILITY CONSTRUCTION ENGINEERING

Plans, Specifications, and Bidding Proposals may be obtained from:

Scott S. Gottfried, Competitively Bid Contracts Coordinator
Contract Administration
Delaware Department of Transportation
P.O. Box 778
Dover, DE 19903

(302) 760-2030
FAX (302) 739-2254

Checks should be made payable to Department of Transportation. Additional copies of Proposals only may be obtained at a cost of \$25.00 per copy. Cost of Contract Documents is not refundable. Contract Documents cannot be returned once ordered.

The Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, creed, color, sex, or national origin in consideration for an award.

When it is in the best interest of the State, DelDOT may extend the time and place for the opening of bids from that described above, on not less than two calendar days' notice by certified delivery, facsimile transmission, or by other verifiable electronic means to those bidders who obtained copies of the Plans, Specifications, and Proposals, or contract descriptions.

Each proposal must be accompanied by a deposit of either surety bond or security for a sum equal to at least 10% of the bid.

Department of Transportation
State of Delaware
By: Shailen Bhatt, Secretary
Dover, Delaware
January 9, 2012